

Raised Panel Mitered Doors



RP710 / MS120-R1
 Minimum Width: 8"
 Minimum Height: 8"



RP710 / MS121
 Minimum Width: 8"
 Minimum Height: 8"



RP710 / MS122
 Minimum Width: 8"
 Minimum Height: 8"



RP710 / MS123
 Minimum Width: 8"
 Minimum Height: 8"



RP710-3 / MS124
 Minimum Width: 9½"
 Minimum Height: 9½"
 *Framing width: 3"

Notes:

Species: All species available except Bamboo. The MS 120-R1 door is available in Maple, Cherry and Red Oak only.

Edge profiles: All profiles are standard.

Framing beads: All framing beads are standard

Panel raises: All panel raises available

Drawer fronts: Matching drawer fronts available with modified framing width in all designs.

Two-panel doors should be specified as RP720

All framing will be 2¼" wide unless otherwise noted. Panel thicknesses will be ¾" unless otherwise noted.

Raised Panel Mitered Doors



RP710-3 / MS125

Minimum Width: 9"
Minimum Height: 9"
*Framing width: 2¾"



RP710 / MS126

Minimum Width: 8"
Minimum Height: 8"



RP710-3 / MS127

Minimum Width: 9¼"
Minimum Height: 9¼"
*Framing width: 2⅞"



RP710-3 / MS128

Minimum Width: 10"
Minimum Height: 10"
*Framing width: 3¼"

Notes:

Species: All species available except Bamboo. The MS125 door is available in Maple, Cherry and Red Oak only.

Edge profiles: All profiles are standard with the exception of MS125 & MS126 — both of which can use any standard edge profile found on page 35-36.

Framing beads: All framing beads are standard

Panel raises: All panel raises available

Drawer fronts: Matching drawer fronts available with modified framing width in all designs.

Two-panel doors should be specified as RP720

All framing will be 2¼" wide unless otherwise noted. Panel thicknesses will be ¾" unless otherwise noted.

Raised Panel Mitered Doors



RP710 / MS116

Minimum Width: 8"
Minimum Height: 8"



RP710 / MS117

Minimum Width: 8"
Minimum Height: 8"



RP710 / MS118

Minimum Width: 8"
Minimum Height: 8"



RP710-3 / MS119

Minimum Width: 9½"
Minimum Height: 9½"
*Framing Width: 3"



RP710 / MS120

Minimum Width: 8"
Minimum Height: 8"

Notes:

Species: All species available except Bamboo

Edge profiles: All profiles are standard with the exception of MS116, MS117, & MS118 – all of which can use any standard edge profile found on page 35-36.

Framing beads: All framing beads are standard

Panel raises: All panel raises available

Drawer fronts: Matching drawer fronts available with modified framing width in all designs.

Two-panel doors should be specified as RP720

All framing will be 2¼" wide unless otherwise noted. Panel thicknesses will be ¾" unless otherwise noted.